

National Health Plan 2012 – 2016

Contents of Figures, Boxes and Tables

(January 2012)



National Health Plan
2012–2016

CONTENTS OF FIGURES, BOXES AND TABLES

1. Framework of the National Health Plan

- Box 1.1. Base Documents for Health Planning
- Box 1.2. Main strategies guiding the NHP 2004-2010
- Box 1.3. WHO Evaluation of the NHP 2004-2010
- Box 1.4. WHO Evaluation of the implementation of the NHP 2004-2010
- Box 1.5. Specialised Reviews
- Box 1.6. Values and principles of the NHP
- Box 1.7. Dimensions of the Conceptual Model
- Box 1.8. Strategic strengthening perspectives of the health system
- Box 1.9. Definition, evidence and implementation of guidelines
- Box 1.10. Cross-sectional policies for the strategic implementation of the NHP
- Box 1.11. Fields of expertise regarding the Processes and Tools for the implementation of the NHP

Figure 1.1 Strategic Axes of the NHP

2. Health Profile

- Box 2.1. Evolution in the last decade
- Figure 2.1 Crude rate of increase and components (%) in mainland Portugal
- Figure 2.2 Resident population aged 15 years and older who was smoker (%) at the time of the National Health Interview Survey, by place of residence
- Figure 2.3 Resident population aged 15 and older who reported having consumed alcoholic drinks every day in the week preceding the interview (%) at the time of the National Health Interview Survey, by gender
- Figure 2.4 Experimentation and consumption of illicit drugs among school-aged children (%), resident in mainland Portugal
- Figure 2.5 Resident population aged 18 and older who was obese (%) at the time of the National Health Interview Survey, by place of residence
- Figure 2.6 Standardised mortality rate due to motor vehicle accidents, under the age of 65 (/100,000 inhab.), in mainland Portugal, by gender

-
- Figure 2.7 Standardized mortality rate due to work-related accidents (/100,000 inhab.) in Mainland Portugal, by gender
- Figure 2.8 Standardized mortality rate due to alcohol-related diseases under the age of 65 (/100,000 inhab.), in Mainland Portugal, by gender
- Figure 2.9 Standardized mortality rate due to suicide under the age of 65 (/100,000 inhab.) in Mainland Portugal, by gender
- Figure 2.10 Medical appointments (per inhab./year) in Mainland Portugal, by level of care
- Figure 2.11 First appointments in the total of outpatient appointments (%), by health region
- Figure 2.12 Hospital admissions and emergencies in NHS hospital units (/1000 inhab.) in Mainland Portugal
- Figure 2.13 Life expectancy at birth (years) in Mainland Portugal, by gender
- Figure 2.14 Mortality rate at young ages (/100,000 inhab.) in Mainland Portugal, by age group
- Figure 2.15 Mortality rate at young ages (/100,000 inhab.) in Mainland Portugal, by age group and gender
- Figure 2.16 Standardised rate of hospital admissions considered avoidable through primary prevention (/100,000 inhab.) in Mainland Portugal
- Figure 2.17 Standardised rate of hospital admissions for ambulatory care-sensitive conditions (/100,000 inhab.), in Mainland Portugal
- Figure 2.18 Tuberculosis and HIV incidence rates (/100,000 inhab.) in Mainland Portugal
- Figure 2.19 Rate of potential years of life lost due to all causes of death (/100,000 inhab.) in Mainland Portugal, by gender
- Figure 2.20 Standardised mortality rate from chronic obstructive pulmonary disease (/100,000 inhab.) in Mainland Portugal, by gender
- Figure 2.21 Standardised mortality rate from ischemic heart disease (/100,000 inhab.) in Mainland Portugal, by gender
- Figure 2.22 Standardised mortality rate from malignant neoplasm of lung (/100,000 inhab.) in Mainland Portugal, by gender
- Figure 2.23 Patients discharged from Portuguese National Health Service hospital units (/100,000 inhab.) in Mainland Portugal, by disease
- Table 2.1. Habitual residence family dwellings without basic infrastructures, at the time of the 2001 and 2011 Censuses, in mainland Portugal
- Table 2.2. Resident population aged 15 years and older who was smoker (%), by gender and place of residence (2006)
-

-
- Table 2.3. Resident population aged 15 years and older who reported having consumed alcoholic beverages every day in the week preceding the interview (%), by gender and age group (2006)
- Table 2.4. Consumption of pure alcohol (litres per capita) by the resident population aged 15 and older (2007)
- Table 2.5. Experimentation and consumption of illicit drugs among school-aged children (%), by place of residence (2010)
- Table 2.6. Cannabis use among school-aged children aged 15 (%), by gender (2010)
- Table 2.7. Resident population aged 18 and older who was obese (%), by gender and place of residence (2006)
- Table 2.8. Resident population aged 15 and older who practises sports/physical exercise or engages in other physical activities (%) by gender and age group (2009)
- Table 2.9. Practise of sports/physical exercise and other physical activities at least once a week (%) in 2009
- Table 2.10. Standardised mortality rate due to motor vehicle accidents, under the age of 65 (/100,000 inhab.), by gender and place of residence (2009)
- Table 2.11. Standardised mortality rate due to work-related accidents (/100,000 inhab.), by gender and place of residence (2008)
- Table 2.12. Standardized mortality rate due to alcohol-related diseases under the age of 65 (/100,000 inhab.), by gender and place of residence (2009)
- Table 2.13. Standardized mortality rate due to suicide under the age of 65 (/100,000 inhab.), by gender and place of residence (2009)
- Table 2.14. Number of hospitalisation and ECCI beds and population coverage, by health region (1st half of 2012)
- Table 2.15. Medical appointments (per inhab./year), by level of care and health region (2010)
- Table 2.16. First appointments in the total of outpatient appointments in NHS hospital units (%), by health region (2010)
- Table 2.17. Hospital admissions and emergencies in private and NHS hospital units (/1000 inhab.), by health region (2009)
- Table 2.18. Life expectancy at birth (years), by gender and place of residence (2008-2010)
- Table 2.19. Incidence rates (/100,000 inhab.) in 2010
- Table 2.20. Rate of Potential Years of Life Lost (/100,000 inhab.), by gender and place of residence (2010)
-

-
- Table 2.21. 10 leading causes of premature mortality (PYLL rate/100,000 inhab.) in Mainland Portugal (2010)
- Table 2.22. 10 leading causes of premature mortality (PYLL rate/100,000 inhab.) for males in Mainland Portugal (2010)
- Table 2.23. 10 leading causes of premature mortality (PYLL rate/100,000 inhab.) for females in Mainland Portugal (2010)
- Table 2.24. Dimensions and indicators for identifying Health Gains and setting priorities
- Table 2.25. Standardised rate of Potential Years of Life Lost (/100,000 inhab.) due to causes sensitive to primary prevention or healthcare, in Mainland Portugal (2009)
- Table 2.26. Standardised rate of PYLL (/100,000 inhab.) due to causes sensitive to primary prevention or healthcare (Mainland Portugal and EU countries that are OECD members, 2007): decreasing order of differences
- Table 2.27. Standardised rate of hospital admissions (/100,000 inhab.) due to ambulatory care-sensitive conditions, in Mainland Portugal (2009)

3. Strategic Axes

3.1. Strategic Axis - Citizenship in Health

- Box 3.1.1 Citizenship may have three meanings
- Figure 3.1.1 Continuum Model of Health Canada's Public Involvement
- Box 3.1.2 Opportunities arising from the promotion of Citizenship in Health
- Box 3.1.3 Threats to the promotion of Citizenship in Health
- Box 3.1.4 References on the Rights and Duties of the Citizen in Healthcare

3.2. Strategic Axes - Equity and Access to Healthcare

- Box 3.2.1 Health inequalities
- Box 3.2.2 The adequate access results from several interrelated dimensions
- Box 3.2.3 Access promotion strategies and resources
- Box 3.2.4 Opportunities resulting from the promotion of equity and access to healthcare
- Box 3.2.5 Potential threats against the promotion of equity and access to healthcare
- Box 3.2.6 Legislation and inter-sectoral strategies aimed at vulnerable groups
- Box 3.2.7 Reference documents about the access to health in Portugal
- Figure 3.2.1 Health needs, demand and supply of services

3.3. Strategic Axes – Quality in Health

- Box 3.3.1. The Promotion of Quality in Health involves
- Box 3.3.2. QoS can be promoted through
- Box 3.3.3. Development opportunities of Quality in Health
- Box 3.3.4. Threats to the development of Quality in Health

3.4. Axes – Healthy Policies

- Box 3.4.1. Healthy Policies Key Prospects
- Box 3.4.2. Healthy Policies include
- Box 3.4.3. Health Policies lead to health gains through
- Box 3.4.4. Axes of action for Health promotion (Ottawa Charter, 1986)
- Box 3.4.5. Public Health potentiates health gains by
- Box 3.4.6. Opportunities arising from the development of Healthy Policies
- Box 3.4.7. Threats to the development of Healthy Policies
- Box 3.4.8. References about Healthy Policies
- Box 3.4.9. Initiatives from other ministries with impact on health and/or partnerships with the Ministry of Health, from March 2005 to October 2009

Figure 3.4.1. Model of Health Determinants

4. Goals for the Health System

4.1. Goal for health system – Obtaining Health Gains

- Box 4.1.1. Prospects for obtaining health gains
- Box 4.1.2. Model of prioritisation in health
- Box 4.1.3. NHP monitoring strategy
- Box 4.1.4. Potential Health Gain Indicators
- Box 4.1.5. Standardised rate of Potential Years of Life Lost (per 100,000 inhabitants) due to causes sensitive to primary prevention or healthcare, in Mainland Portugal, concerning year 2009
- Box 4.1.6. Sorting of the standardised rate of PYLL (per 100,000 inhab.) due to causes that are sensitive to primary prevention and to selected healthcare (Mainland Portugal)

and EU countries that are members of OECD, data concerning the year 2007)

- Box 4.1.7. Standardised rate of PYLL (per 100,000 inhab.) due to causes sensitive to primary prevention and healthcare (Health regions, data concerning 2009)
- Box 4.1.8. Standardised rate of PYLL (per 100,000 inhab.) due to causes sensitive to primary prevention and healthcare (Health regions, data concerning 2009)
- Box 4.1.9. Standardised rate of hospital admissions (per 100,000 inhab.) due to ambulatory care-sensitive conditions in Mainland Portugal (2000-2009)
- Box 4.1.10. Proposed target and estimated gains* for 2016 for the standardised rate of hospital admissions for ambulatory care-sensitive conditions (/100,000 inhab.)
- Figure 4.1.1. Target definition process (illustration)
- Figure 4.1.2. Articulation between the different planning levels to obtain GPS
- Figure 4.1.3. Determinants model and development of interventions
- Figure 4.1.4. Process of identification of priority interventions (illustration)

4.2.Goal for health system – Promoting Supportive Environments for Health Throughout the Life Cycle

- Box 4.2.1. Strategic prospects for the promotion of healthy environments
- Box 4.2.2. Levels of health promoting environments
- Box 4.2.3. Stages of the Life Cycle
- Box 4.2.4. Resources to promote supportive environments for health over the life course
- Box 4.2.5. Opportunities arising from the promotion of supportive environments for health over the life course
- Box 4.2.6. Threats to the promotion of supportive environments for health over the life Cycle
- Box 4.2.7. Be born healthy
- Box 4.2.8. Growing safely
- Box 4.2.9. Young people seeking a healthy future
- Box 4.2.10. A productive adult life
- Box 4.2.11. Active Ageing
- Box 4.2.12. Healthy life-promoting contexts
- Box 4.2.13. School Health
- Figure 4.2.1. Loss of health capital over the individual journey

4.3. Goal for health system – Strengthening Economic and Social Support in Health and Disease

- Box 4.3.1. Key prospects for strengthening the Economic and Social Support in Health and Disease
- Box 4.3.2. Comparison of types of healthcare organisations
- Box 4.3.3. Opportunities arising from strengthening Economic and Social Support in Health and Disease
- Box 4.3.4. Threats to strengthening Economic and Social Support in Health and Disease

4.4. Goal for health system – Strengthening Portugal's Participation in Global Health

- Box 4.4.1. Perspectives for the reinforcement of Portugal in Global Health
- Box 4.4.2. Opportunities arising from the development and participation in Global Health
- Box 4.4.3. Threats to the participation in Global Health
- Box 4.4.4. Areas of performance and influence on Global Health
- Box 4.4.5. Strategies and Resources for the reinforcement of Portugal in Global Health

6. Health Indicators and Targets

- Table 6.1. Groups of health indicators (adapted from CIHI, 2005, and CIHI, 1999)
- Table 6.2. List of health gain indicators and associated values for Mainland Portugal (observed and projected values, targets and accumulated gains)
- Table 6.3. List of health status and health system performance indicators and associated values for Mainland Portugal (observed and projected values and targets)
- Table 6.4. List of health gains indicators to be developed
- Table 6.5. List of health status and health system performance indicators to be developed